

```
1. <!--
2.
3. index.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. A homepage for the course that mimics iOS's UI.
9.
10.-->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <link href="ios.css" rel="stylesheet">
17.     <meta name="viewport" content="width=device-width">
18.     <title>CSCI S-76</title>
19.   </head>
20.   <body>
21.     <h1>CSCI S-76</h1>
22.     <ul>
23.       <li><a href="lectures.html">Lectures</a></li>
24.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/syllabus.pdf">Syllabus</a></li>
25.     </ul>
26.   </body>
27. </html>
```

```
1. body
2. {
3.   font-family: Helvetica, sans-serif;
4.   margin: 0;
5. }
6.
7. h1
8. {
9.   background-color: #7C92AE;
10.  background-image: -webkit-gradient(linear, 0% 0%, 0% 100%, from(#ABB9CB), color-stop(0.5, #8C9FB8), color-stop(0.51, #7C92AE), to(#6C85A4));
11.  color: #FFF;
12.  font-size: 18px;
13.  margin: 0;
14.  padding: 6px;
15.  text-align: center;
16. }
17.
18. li a
19. {
20.   border-bottom: 1px #CCC solid;
21.   color: #000;
22.   display: block;
23.   font-weight: bold;
24.   padding: 10px;
25.   text-decoration: none;
26. }
27.
28. ul
29. {
30.   list-style: none;
31.   margin: 0;
32.   padding: 0;
33. }
```

```
1. <!--
2.
3. lecture0.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. Represents a lecture.
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <link href="ios.css" rel="stylesheet">
17.     <meta name="viewport" content="width=device-width">
18.     <title>Lecture 0</title>
19.   </head>
20.   <body>
21.     <h1>Lecture 0</h1>
22.     <ul>
23.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/slides0.pdf">Slides</a></li>
24.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/lecture0.mp4">Video</a></li>
25.     </ul>
26.   </body>
27. </html>
```

```
1. <!--
2.
3. lecture1.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. Represents a lecture.
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <link href="ios.css" rel="stylesheet">
17.     <meta name="viewport" content="width=device-width">
18.     <title>Lecture 1</title>
19.   </head>
20.   <body>
21.     <h1>Lecture 1</h1>
22.     <ul>
23.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/1/slides1.pdf">Slides</a></li>
24.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/1/lecture1.mp4">Video</a></li>
25.     </ul>
26.   </body>
27. </html>
```

```
1.
2. <!DOCTYPE html>
3.
4. <!--
5.
6. lectures.html
7.
8. David J. Malan
9. malan@harvard.edu
10.
11. Links to lectures.
12.
13. -->
14.
15. <html>
16.   <head>
17.     <link href="ios.css" rel="stylesheet">
18.     <meta name="viewport" content="width=device-width">
19.     <title>Lectures</title>
20.   </head>
21.   <body>
22.     <h1>Lectures</h1>
23.     <ul>
24.       <li><a href="lecture0.html">Lecture 0</a></li>
25.       <li><a href="lecture1.html">Lecture 1</a></li>
26.     </ul>
27.   </body>
28. </html>
```

```
1. <!--
2.
3. index.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. Demonstrates jQuery Mobile.
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <link rel="stylesheet" href="http://code.jquery.com/mobile/1.0.1/jquery.mobile-1.0.1.min.css">
17.     <meta name="viewport" content="width=device-width">
18.     <script src="http://code.jquery.com/jquery-1.6.4.min.js"></script>
19.     <script src="http://code.jquery.com/mobile/1.0.1/jquery.mobile-1.0.1.min.js"></script>
20.     <title>CSCI S-76</title>
21.   </head>
22.   <body>
23.
24.     <div data-role="page" id="menu">
25.
26.       <div data-role="header" data-theme="b">
27.         <h1>CSCI S-76</h1>
28.       </div>
29.
30.       <div data-role="content">
31.         <ul data-role="listview" data-theme="c">
32.           <li><a href="#lectures">Lectures</a></li>
33.           <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/syllabus.pdf" rel="external">Syllabus</a></li>
34.         </ul>
35.       </div>
36.
37.     </div>
38.
39.     <div data-role="page" id="lectures">
40.
41.       <div data-role="header" data-theme="b">
42.         <h1>Lectures</h1>
43.       </div>
44.
45.       <div data-role="content">
46.         <ul data-role="listview" data-theme="c">
47.           <li><a href="#lecture0">Lecture 0</a></li>
48.           <li><a href="#lecture1">Lecture 1</a></li>
```

```
49.      </ul>
50.    </div>
51.
52.  </div>
53.
54.  <div data-role="page" id="lecture0">
55.
56.    <div data-role="header" data-theme="b">
57.      <h1>Lecture 0</h1>
58.    </div>
59.
60.    <div data-role="content">
61.      <ul data-role="listview" data-theme="c">
62.        <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/slides0.pdf" rel="external">Slides</a></li>
63.        <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/lecture0.mp4" rel="external">Video</a></li>
64.      </ul>
65.    </div>
66.
67.  </div>
68.
69.  <div data-role="page" id="lecture1">
70.
71.    <div data-role="header" data-theme="b">
72.      <h1>Lecture 1</h1>
73.    </div>
74.
75.    <div data-role="content">
76.      <ul data-role="listview" data-theme="c">
77.        <li><a href="http://cdn.cs76.net/2013/summer/lectures/1/slides1.pdf" rel="external">Slides</a></li>
78.        <li><a href="http://cdn.cs76.net/2013/summer/lectures/1/lecture1.mp4" rel="external">Video</a></li>
79.      </ul>
80.    </div>
81.
82.  </div>
83.
84.  </body>
85. </html>
```

```
1. <!--
2.
3. index.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. A homepage for the course.
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <title>CSCI S-76</title>
17.   </head>
18.   <body>
19.     <h1>CSCI S-76</h1>
20.     <ul>
21.       <li><a href="lectures.html">Lectures</a></li>
22.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/syllabus.pdf">Syllabus</a></li>
23.     </ul>
24.   </body>
25. </html>
```

```
1. <!--
2.
3. lecture0.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. Represents a lecture.
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <meta name="viewport" content="width=device-width">
17.     <title>Lecture 0</title>
18.   </head>
19.   <body>
20.     <h1>Lecture 0</h1>
21.     <ul>
22.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/slides0.pdf">Slides</a></li>
23.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/0/lecture0.mp4">Video</a></li>
24.     </ul>
25.   </body>
26. </html>
```

```
1. <!--
2.
3. lecture1.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. Represents a lecture.
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <meta name="viewport" content="width=device-width">
17.     <title>Lecture 1</title>
18.   </head>
19.   <body>
20.     <h1>Lecture 1</h1>
21.     <ul>
22.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/1/slides1.pdf">Slides</a></li>
23.       <li><a href="http://cdn.cs76.net/2013/summer/lectures/1/lecture1.mp4">Video</a></li>
24.     </ul>
25.   </body>
26. </html>
```

```
1. <!--
2.
3. lectures.html
4.
5. David J. Malan
6. malan@harvard.edu
7.
8. Links to lectures.
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <meta name="viewport" content="width=device-width">
17.     <title>Lectures</title>
18.   </head>
19.   <body>
20.     <h1>Lectures</h1>
21.     <ul>
22.       <li><a href="lecture0.html">Lecture 0</a></li>
23.       <li><a href="lecture1.html">Lecture 1</a></li>
24.     </ul>
25.   </body>
26. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <link rel="apple-touch-icon" href="custom_icon.png">
6.     <meta name="apple-mobile-web-app-capable" content="yes">
7.     <meta name="apple-mobile-web-app-status-bar-style" content="black">
8.     <meta name="viewport" content="width=device-width">
9.     <title>Harvard App</title>
10.    </head>
11.    <body style="margin: 0">
12.      
13.    </body>
14.  </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <title>html5</title>
6.   </head>
7.   <body>
8.     <p>
9.       Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent consectetur adipiscing dignissim. Aenean lectus erat, ornare ultrices
    pharetra ac, dignissim vel lacus. Vivamus turpis ante, lacinia placerat ultrices non, suscipit at arcu. Nullam ut fringilla eros. Curabitur
    tincidunt mollis libero cursus feugiat. Pellentesque tincidunt leo lectus, at feugiat sapien. In dignissim, risus vel faucibus sodales, mauris
    tortor imperdiet lorem, faucibus porta neque nulla facilisis urna. Donec risus leo, cursus vel cursus vel, luctus ut eros.
10.    </p>
11.  </body>
12. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <title>tel</title>
7.   </head>
8.   <body>
9.     <form>
10.       <input autocapitalize="off" autocomplete="off" autocorrect="off" placeholder="Text" type="text"/>
11.       <br/>
12.       <input autocapitalize="off" autocomplete="off" autocorrect="off" placeholder="Email" type="email"/>
13.       <br/>
14.       <input autocapitalize="off" autocomplete="off" autocorrect="off" placeholder="URL" type="url"/>
15.     </form>
16.   </body>
17. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <title>sms</title>
7.   </head>
8.   <body>
9.     <a href="sms:6175551212">text someone</a>
10.   </body>
11. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <title>tel</title>
7.   </head>
8.   <body>
9.     <a href="tel:6175551212">call someone</a>
10.   </body>
11. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <title>viewport</title>
7.   </head>
8.   <body>
9.     Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent consectetur adipiscing dignissim. Aenean lectus erat, ornare ultrices
    pharetra ac, dignissim vel lacus. Vivamus turpis ante, lacinia placerat ultrices non, suscipit at arcu. Nullam ut fringilla eros. Curabitur
    tincidunt mollis libero cursus feugiat. Pellentesque tincidunt leo lectus, at feugiat sapien. In dignissim, risus vel faucibus sodales, mauris
    tortor imperdiet lorem, faucibus porta neque nulla facilisis urna. Donec risus leo, cursus vel cursus vel, luctus ut eros.
10.  </body>
11. </html>
```

```
1. <!--
2.
3. ajax0.html
4.
5. Gets stock quote from quote.php via Ajax, displaying result with alert().
6.
7. David J. Malan
8. malan@harvard.edu
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <meta name="viewport" content="width=device-width">
17.     <script>
18.
19.       // an XMLHttpRequest
20.       var xhr = null;
21.
22.       /**
23.        * void
24.        * quote()
25.        *
26.        * Gets a quote.
27.        */
28.       function quote()
29.     {
30.         // instantiate XMLHttpRequest object
31.         try
32.         {
33.             xhr = new XMLHttpRequest();
34.         }
35.         catch (e)
36.         {
37.             xhr = new ActiveXObject("Microsoft.XMLHTTP");
38.         }
39.
40.         // handle old browsers
41.         if (xhr == null)
42.         {
43.             alert("Ajax not supported by your browser!");
44.             return;
45.         }
46.
47.         // construct URL
48.         var url = "quote.php?symbol=" + document.getElementById("symbol").value;
```

```
49.      // get quote
50.      xhr.onreadystatechange = handler;
51.      xhr.open("GET", url, true);
52.      xhr.send(null);
53.  }
54.
55.
56.  /**
57.   * void
58.   * handler()
59.   *
60.   * Handles the Ajax response.
61.   */
62.  function handler()
63.  {
64.      // only handle loaded requests
65.      if (xhr.readyState == 4)
66.      {
67.          // display response if possible
68.          if (xhr.status == 200)
69.          {
70.              alert(xhr.responseText);
71.          }
72.          else
73.          {
74.              alert("Error with Ajax call!");
75.          }
76.      }
77.  }
78.
79. </script>
80. <title>ajax</title>
81. </head>
82. <body>
83.   <form onsubmit="quote(); return false;">
84.     Symbol: <input autocomplete="off" id="symbol" type="text"/>
85.     <br/><br/>
86.     <input type="submit" value="Get Quote" />
87.   </form>
88. </body>
89. </html>
```

```
1. <!--
2.
3. ajax1.html
4.
5. Gets stock quote from quote.php via Ajax, embedding result in page itself.
6.
7. David J. Malan
8. malan@harvard.edu
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <meta name="viewport" content="width=device-width">
17.     <script>
18.
19.       // an XMLHttpRequest
20.       var xhr = null;
21.
22.       /**
23.        * void
24.        * quote()
25.        *
26.        * Gets a quote.
27.        */
28.       function quote()
29.     {
30.         // instantiate XMLHttpRequest object
31.         try
32.         {
33.             xhr = new XMLHttpRequest();
34.         }
35.         catch (e)
36.         {
37.             xhr = new ActiveXObject("Microsoft.XMLHTTP");
38.         }
39.
40.         // handle old browsers
41.         if (xhr == null)
42.         {
43.             alert("Ajax not supported by your browser!");
44.             return;
45.         }
46.
47.         // construct URL
48.         var url = "quote.php?symbol=" + document.getElementById("symbol").value;
```

```
49.          // get quote
50.          xhr.onreadystatechange = handler;
51.          xhr.open("GET", url, true);
52.          xhr.send(null);
53.      }
54.
55.
56.      /**
57.       * void
58.       * handler()
59.       *
60.       * Handles the Ajax response.
61.       */
62.      function handler()
63.      {
64.          // only handle loaded requests
65.          if (xhr.readyState == 4)
66.          {
67.              // embed response in page if possible
68.              if (xhr.status == 200)
69.              {
70.                  document.getElementById("price").innerHTML = xhr.responseText;
71.              }
72.              else
73.              {
74.                  alert("Error with Ajax call!");
75.              }
76.          }
77.      }
78.
79.      </script>
80.      <title>ajax</title>
81.  </head>
82.  <body>
83.    <form onsubmit="quote(); return false;">
84.      Symbol: <input autocomplete="off" id="symbol" type="text"/>
85.      <br>
86.      Price: <span id="price"><b>to be determined</b></span>
87.      <br/><br/>
88.      <input type="submit" value="Get Quote"/>
89.    </form>
90.  </body>
91. </html>
```

```
1. <!--
2.
3. ajax2.html
4.
5. Gets stock quote from Yahoo Finance via YQL using JSONP.
6.
7. David J. Malan
8. malan@harvard.edu
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <meta name="viewport" content="width=device-width">
17.     <script>
18.
19.       /**
20.        * void
21.        * quote()
22.        *
23.        * Gets a quote.
24.        */
25.       function quote()
26.     {
27.       // construct URL
28.       var url =
"http://query.yahooapis.com/v1/public/yql?q=select%20*%20from%20csv%20where%20columns%20%3D%20'price'%20and%20url%20%3D%20'http%3A%2F%2Fdownlo
ad.finance.yahoo.com%2Fd%2Fquotes.csv%3Ff%3Dl1%26s%3D" + document.getElementById("symbol").value + "&format=json&callback=handler";
29.
30.       // get quote via JSONP
31.       var script = document.createElement("script");
32.       script.setAttribute("src", url);
33.       document.getElementsByTagName("head")[0].appendChild(script);
34.     }
35.
36.     /**
37.      * void
38.      * handler(response)
39.      *
40.      * Handles the JSONP response.
41.      */
42.     function handler(response)
43.     {
44.       if (response.query.count === 1)
45.       {
46.         alert(response.query.results.row.price);
```

```
47.         }
48.     else
49.     {
50.         alert("Error in JSONP response!");
51.     }
52. }
53.
54. </script>
55. <title>ajax</title>
56. </head>
57. <body>
58.   <form onsubmit="quote(); return false;">
59.     Symbol: <input autocomplete="off" id="symbol" type="text" />
60.     <br /><br />
61.     <input type="submit" value="Get Quote" />
62.   </form>
63. </body>
64. </html>
```

```
1. <!--
2.
3. ajax3.html
4.
5. Gets stock quote from Yahoo Finance via YQL using JSONP with jQuery.
6.
7. David J. Malan
8. malan@harvard.edu
9.
10. -->
11.
12. <!DOCTYPE html>
13.
14. <html>
15.   <head>
16.     <meta name="viewport" content="width=device-width">
17.     <script src="http://code.jquery.com/jquery-1.10.0.min.js"></script>
18.     <script>
19.
20.       /**
21.        * void
22.        * quote()
23.        *
24.        * Gets a quote.
25.        */
26.       function quote()
27.     {
28.       // construct URL
29.       var url =
    "http://query.yahooapis.com/v1/public/yql?q=select%20*%20from%20csv%20where%20columnss%20%3D%20'price'%20and%20url%20%3D%20'http%3A%2F%2Fdownload.finance.yahoo.com%2Fd%2Fquotes.csv%3Ff%3Dl1%26s%3D" + document.getElementById("symbol").value + "&format=json&callback=handler";
30.
31.       // get quote via JSONP
32.       $.ajax({
33.         dataType: 'jsonp',
34.         url: url
35.       });
36.     }
37.
38.   /**
39.    * void
40.    * handler(response)
41.    *
42.    * Handles the JSONP response.
43.    */
44.   function handler(response)
45.   {
46.     if (response.query.count === 1)
```

```
47.         {
48.             alert(response.query.results.row.price);
49.         }
50.     else
51.     {
52.         alert("Error in JSONP response!");
53.     }
54. }
55.
56. </script>
57. <title>ajax</title>
58. </head>
59. <body>
60.   <form onsubmit="quote(); return false;">
61.     Symbol: <input autocomplete="off" id="symbol" type="text" />
62.     <br /><br />
63.     <input type="submit" value="Get Quote" />
64.   </form>
65. </body>
66. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <script>
7.
8.       function greet()
9.     {
10.       alert('hello, ' + document.getElementById('name').value + '!');
11.     }
12.
13.   </script>
14.   <title>dom</title>
15. </head>
16. <body>
17.
18.   <form id="demo" onsubmit="greet(); return false;">
19.     <input id="name" placeholder="Name" type="text" />
20.     <input type="submit" />
21.   </form>
22.
23. </body>
24.
25. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <title>dom</title>
7.   </head>
8.   <body>
9.
10.   <form id="demo">
11.     <input id="name" placeholder="Name" type="text" />
12.     <input type="submit" />
13.   </form>
14.
15.   <script>
16.
17.     document.getElementById('demo').onsubmit = function() {
18.       alert('hello, ' + document.getElementById('name').value + '!');
19.       return false;
20.     };
21.
22.   </script>
23.
24.   </body>
25.
26. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <script src="http://code.jquery.com/jquery-1.10.0.min.js"></script>
7.   <script>
8.
9.     $(document).ready(function() {
10.       $('#demo').submit(function() {
11.         alert('hello, ' + document.getElementById('name').value + '!');
12.         return false;
13.       });
14.     });
15.
16.   </script>
17.   <title>dom</title>
18. </head>
19. <body>
20.
21.   <form id="demo">
22.     <input id="name" placeholder="Name" type="text" />
23.     <input type="submit" />
24.   </form>
25.
26. </body>
27.
28. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <script>
7.
8.       function callback(position)
9.     {
10.       alert(position.coords.latitude + ', ' + position.coords.longitude);
11.     }
12.
13.   function geolocate()
14.   {
15.     if (typeof(navigator.geolocation) !== 'undefined')
16.     {
17.       navigator.geolocation.getCurrentPosition(callback);
18.     }
19.     else
20.     {
21.       alert('Your browser does not support geolocation!');
22.     }
23.   }
24.
25.   </script>
26.   <title>geolocation</title>
27. </head>
28. <body onload="geolocate()"></body>
29. </html>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <script>
7.
8.       function geolocate()
9.     {
10.       if (typeof(navigator.geolocation) !== 'undefined')
11.     {
12.       navigator.geolocation.getCurrentPosition(function(position) {
13.         alert(position.coords.latitude + ', ' + position.coords.longitude);
14.       });
15.     }
16.     else
17.     {
18.       alert('Your browser does not support geolocation!');
19.     }
20.   }
21.
22.   </script>
23.   <title>geolocation</title>
24. </head>
25. <body onload="geolocate()"></body>
26. </html>
```

```
1. <?php
2.
3. /**
4.  * quote.php
5. *
6. * Outputs price of given symbol as text/html.
7. *
8. * David J. Malan
9. * malan@harvard.edu
10. */
11.
12. // get quote
13. $handle = @fopen("http://download.finance.yahoo.com/d/quotes.csv?s={$_GET["symbol"]}&f=e111", "r");
14. if ($handle !== FALSE)
15. {
16.     $data = fgetcsv($handle);
17.     if ($data !== FALSE && $data[0] == "N/A")
18.     {
19.         print($data[1]);
20.     }
21.     fclose($handle);
22. }
23.
24. ?>
```

```
1. <!DOCTYPE html>
2.
3. <html>
4.   <head>
5.     <meta name="viewport" content="width=device-width">
6.     <script>
7.
8.       function greet()
9.     {
10.       if (typeof(localStorage) !== 'undefined')
11.     {
12.       if (typeof(localStorage['counter']) === 'undefined')
13.     {
14.       localStorage['counter'] = 0;
15.     }
16.       alert('You have visited ' + localStorage['counter'] + ' time(s) before!');
17.       localStorage['counter']++;
18.     }
19.     else
20.     {
21.       alert('Your browser does not support localStorage!');
22.     }
23.   }
24.
25.   </script>
26.   <title>storage</title>
27. </head>
28. <body onload="greet()"></body>
29. </html>
```