

```
1. //
2. // AppDelegate.h
3. // Nib1
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application implemented with a nib, plus IBAction and IBOutlet.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. @class ViewController;
15.
16. @interface AppDelegate : UIResponder <UIApplicationDelegate>
17.
18. @property (strong, nonatomic) ViewController *viewController;
19. @property (strong, nonatomic) UIWindow *window;
20.
21. @end
```

```
1. //
2. // AppDelegate.m
3. // Nib1
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application implemented with a nib, plus IBAction and IBOutlet.
10. //
11.
12. #import "AppDelegate.h"
13. #import "ViewController.h"
14.
15. @implementation AppDelegate
16.
17. - (BOOL)application:(UIApplication *)application didFinishLaunchingWithOptions:(NSDictionary *)launchOptions
18. {
19.     self.window = [[UIWindow alloc] initWithFrame:[[UIScreen mainScreen] bounds]];
20.     self.viewController = [[ViewController alloc] initWithNibName:@"ViewController" bundle:nil];
21.     self.window.rootViewController = self.viewController;
22.     [self.window makeKeyAndVisible];
23.     return YES;
24. }
25.
26. @end
```

```
1. //
2. //  main.m
3. //  Nib1
4. //
5. //  David J. Malan
6. //  Harvard University
7. //  malan@harvard.edu
8. //
9. //  Demonstrates a Single View Application implemented with a nib, plus IBAction and IBOutlet.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. #import "AppDelegate.h"
15.
16. int main(int argc, char *argv[])
17. {
18.     @autoreleasepool {
19.         return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate class]));
20.     }
21. }
```

```
1. //
2. // ViewController.h
3. // Nib1
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application implemented with a nib, plus IBAction and IBOutlet.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. @interface ViewController : UIViewController
15.
16. @property (nonatomic, strong) IBOutlet UITextField *textField;
17.
18. - (IBAction)go:(id)sender;
19.
20. @end
```

```
1. //
2. // ViewController.m
3. // Nib1
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application implemented with a nib, plus IBAction and IBOutlet.
10. //
11.
12. #import "ViewController.h"
13.
14. @implementation ViewController
15.
16. - (IBAction)go:(id)sender
17. {
18.     // hide keyboard
19.     [self.textField resignFirstResponder];
20.
21.     // show alert
22.     NSString *s = [NSString stringWithFormat:@"Hello, %@", self.textField.text];
23.     UIAlertView *alert = [[UIAlertView alloc] initWithTitle:@"Hello"
24.                                                 message:s
25.                                                 delegate:nil
26.                                                 cancelButtonTitle:@"Thanks!"
27.                                                 otherButtonTitles:nil];
28.     [alert show];
29. }
30.
31. @end
```

```
1. //
2. // AppDelegate.h
3. // Nib2
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application with a UIAlertViewDelegate.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. @class ViewController;
15.
16. @interface AppDelegate : UIResponder <UIApplicationDelegate>
17.
18. @property (strong, nonatomic) ViewController *viewController;
19. @property (strong, nonatomic) UIWindow *window;
20.
21. @end
```

```
1. //  
2. // AppDelegate.m  
3. // Nib2  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Single View Application with a UIAlertViewDelegate.  
10. //  
11.  
12. #import "AppDelegate.h"  
13. #import "ViewController.h"  
14.  
15. @implementation AppDelegate  
16.  
17. - (BOOL)application:(UIApplication *)application didFinishLaunchingWithOptions:(NSDictionary *)launchOptions  
18. {  
19.     self.window = [[UIWindow alloc] initWithFrame:[[UIScreen mainScreen] bounds]];  
20.     self.viewController = [[ViewController alloc] initWithNibName:@"ViewController" bundle:nil];  
21.     self.window.rootViewController = self.viewController;  
22.     [self.window makeKeyAndVisible];  
23.     return YES;  
24. }  
25.  
26. @end
```

```
1. //
2. //  main.m
3. //  Nib2
4. //
5. //  David J. Malan
6. //  Harvard University
7. //  malan@harvard.edu
8. //
9. //  Demonstrates a Single View Application with a UIAlertViewDelegate.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. #import "AppDelegate.h"
15.
16. int main(int argc, char *argv[])
17. {
18.     @autoreleasepool {
19.         return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate class]));
20.     }
21. }
```

```
1. //
2. // ViewController.h
3. // Nib2
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application with a UIAlertViewDelegate.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. @interface ViewController : UIViewController <UIAlertViewDelegate>
15.
16. @property (nonatomic, strong) IBOutlet UITextField *textField;
17.
18. - (IBAction)go:(id)sender;
19.
20. @end
```

```
1. //
2. // ViewController.m
3. // Nib2
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application with a UIAlertViewDelegate.
10. //
11.
12. #import "ViewController.h"
13.
14. @implementation ViewController
15.
16. - (void)alertView:(UIAlertView *)alertView didDismissWithButtonIndex:(NSInteger)buttonIndex
17. {
18.     // clear text field
19.     self.textField.text = nil;
20. }
21.
22. - (IBAction)go:(id)sender
23. {
24.     // hide keyboard
25.     [self.textField resignFirstResponder];
26.
27.     // show alert
28.     NSString *s = [NSString stringWithFormat:@"Hello, %@", self.textField.text];
29.     UIAlertView *alert = [[UIAlertView alloc] initWithTitle:@"Hello"
30.                                                 message:s
31.                                                 delegate:self
32.                                                 cancelButtonTitle:@"Thanks!"
33.                                                 otherButtonTitles:nil];
34.     [alert show];
35. }
36.
37. @end
```

```
1. //
2. // AppDelegate.h
3. // NoNib
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application with a view implemented without a nib (or storyboard).
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. @class ViewController;
15.
16. @interface AppDelegate : UIResponder <UIApplicationDelegate>
17.
18. @property (strong, nonatomic) ViewController *viewController;
19. @property (strong, nonatomic) UIWindow *window;
20.
21. @end
```

```
1. //  
2. // AppDelegate.m  
3. // NoNib  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Single View Application with a view implemented without a nib (or storyboard).  
10. //  
11.  
12. #import "AppDelegate.h"  
13. #import "ViewController.h"  
14.  
15. @implementation AppDelegate  
16.  
17. - (BOOL)application:(UIApplication *)application didFinishLaunchingWithOptions:(NSDictionary *)launchOptions  
18. {  
19.     self.window = [[UIWindow alloc] initWithFrame:[[UIScreen mainScreen] bounds]];  
20.     self.viewController = [[ViewController alloc] init];  
21.     self.window.rootViewController = self.viewController;  
22.     [self.window makeKeyAndVisible];  
23.     return YES;  
24. }  
25.  
26. @end
```

```
1. //
2. // main.m
3. // NoNib
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application with a view implemented without a nib (or storyboard).
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. #import "AppDelegate.h"
15.
16. int main(int argc, char *argv[])
17. {
18.     @autoreleasepool {
19.         return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate class]));
20.     }
21. }
```

```
1. //
2. // ViewController.h
3. // NoNib
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application with a view implemented without a nib (or storyboard).
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. @interface ViewController : UIViewController
15.
16. @property (nonatomic, readwrite, strong) UITextField *textField;
17.
18. - (void)alertView:(UIAlertView *)alertView didDismissWithButtonIndex:(NSInteger)buttonIndex;
19. - (void)go:(id)sender;
20.
21. @end
```

```
1. //  
2. // ViewController.m  
3. // NoNib  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Single View Application with a view implemented without a nib (or storyboard).  
10. //  
11.  
12. #import "ViewController.h"  
13.  
14.  
15. @implementation ViewController  
16.  
17.  
18. #pragma mark - UIViewController  
19.  
20. - (void)loadView  
21. {  
22.     // create view  
23.     self.view = [[UIView alloc] initWithFrame:[UIScreen mainScreen].applicationFrame];  
24.     self.view.backgroundColor = [UIColor whiteColor];  
25.  
26.     // create text field  
27.     CGRect frame = CGRectMake(20, 20, 280, 31);  
28.     self.textField = [[UITextField alloc] initWithFrame:frame];  
29.     self.textField.autocapitalizationType = UITextAutocapitalizationTypeWords;  
30.     self.textField.autocorrectionType = UITextAutocorrectionTypeNo;  
31.     self.textField.borderStyle = UITextBorderStyleRoundedRect;  
32.     self.textField.contentVerticalAlignment = UIControlContentVerticalAlignmentCenter;  
33.     self.textField.font = [UIFont systemFontOfSize:[UIFont systemFontOfSize]];  
34.     self.textField.placeholder = @"Name";  
35.     self.textField.returnKeyType = UIReturnKeyGo;  
36.  
37.     // listen for Did End on Exit  
38.     [self.textField addTarget:self action:@selector(go:) forControlEvents:UIControlEventEditingDidEndOnExit];  
39.  
40.     // add text field to view  
41.     [self.view addSubview:self.textField];  
42.  
43.     // create button  
44.     frame = CGRectMake(124, 59, 72, 37);  
45.     UIButton *button = [UIButton buttonWithType:UIButtonTypeRoundedRect];  
46.     button.frame = frame;  
47.     [button setTitle:@"Go" forState:UIControlStateNormal];  
48.
```

```
49. // listen for Touch Up Inside
50. [button addTarget:self action:@selector(go:) forControlEvents:UIControlEventTouchUpInside];
51.
52. // add button to view
53. [self.view addSubview:button];
54. }
55.
56.
57. #pragma mark - UIAlertViewDelegate
58.
59. - (void)alertView:(UIAlertView *)alertView didDismissWithButtonIndex:(NSInteger)buttonIndex
60. {
61.     // clear text field
62.     self.textField.text = nil;
63. }
64.
65.
66. #pragma mark - Actions
67.
68. - (void)go:(id)sender
69. {
70.     // hide keyboard
71.     [self.textField resignFirstResponder];
72.
73.     // show alert
74.     NSString *s = [NSString stringWithFormat:@"Hello, %@", self.textField.text];
75.     UIAlertView *alert = [[UIAlertView alloc] initWithTitle:@"Hello"
76.                                                 message:s
77.                                                 delegate:self
78.                                                 cancelButtonTitle:@"Thanks!"
79.                                                 otherButtonTitles:nil];
80.     [alert show];
81. }
82.
83.
84. @end
```

```
1. //  
2. // AppDelegate.h  
3. // SingleView  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Single View Application.  
10. //  
11.  
12. #import <UIKit/UIKit.h>  
13.  
14. @class ViewController;  
15.  
16. @interface AppDelegate : UIResponder <UIApplicationDelegate>  
17.  
18. @property (strong, nonatomic) ViewController *viewController;  
19. @property (strong, nonatomic) UIWindow *window;  
20.  
21. @end
```

```
1. //  
2. // AppDelegate.m  
3. // SingleView  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Single View Application.  
10. //  
11.  
12. #import "AppDelegate.h"  
13. #import "ViewController.h"  
14.  
15. @implementation AppDelegate  
16.  
17. - (BOOL)application:(UIApplication *)application didFinishLaunchingWithOptions:(NSDictionary *)launchOptions  
18. {  
19.     self.window = [[UIWindow alloc] initWithFrame:[[UIScreen mainScreen] bounds]];  
20.     self.viewController = [[ViewController alloc] initWithNibName:@"ViewController" bundle:nil];  
21.     self.window.rootViewController = self.viewController;  
22.     [self.window makeKeyAndVisible];  
23.     return YES;  
24. }  
25.  
26. @end
```

```
1. //
2. // main.m
3. // SingleView
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. #import "AppDelegate.h"
15.
16. int main(int argc, char *argv[])
17. {
18.     @autoreleasepool {
19.         return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate class]));
20.     }
21. }
```

```
1. //
2. // ViewController.h
3. // SingleView
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. @interface ViewController : UIViewController
15. @end
```

```
1. //
2. // ViewController.m
3. // SingleView
4. //
5. // David J. Malan
6. // Harvard University
7. // malan@harvard.edu
8. //
9. // Demonstrates a Single View Application.
10. //
11.
12. #import "ViewController.h"
13.
14. @implementation ViewController
15. @end
```

```
1. //  
2. // AppDelegate.h  
3. // Utility  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Utility Application.  
10. //  
11.  
12. #import <UIKit/UIKit.h>  
13.  
14. @class MainViewController;  
15.  
16. @interface AppDelegate : UIResponder <UIApplicationDelegate>  
17.  
18. @property (strong, nonatomic) MainViewController *mainViewController;  
19. @property (strong, nonatomic) UIWindow *window;  
20.  
21. @end
```

```
1. //  
2. // AppDelegate.m  
3. // Utility  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Utility Application.  
10. //  
11.  
12. #import "AppDelegate.h"  
13.  
14. #import "MainViewController.h"  
15.  
16. @implementation AppDelegate  
17.  
18. - (BOOL)application:(UIApplication *)application didFinishLaunchingWithOptions:(NSDictionary *)launchOptions  
19. {  
20.     self.window = [[UIWindow alloc] initWithFrame:[[UIScreen mainScreen] bounds]];  
21.     self.mainViewController = [[MainViewController alloc] initWithNibName:@"MainViewController" bundle:nil];  
22.     self.window.rootViewController = self.mainViewController;  
23.     [self.window makeKeyAndVisible];  
24.     return YES;  
25. }  
26.  
27. @end
```

```
1. //  
2. // FlipsideViewController.h  
3. // Utility  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Utility Application.  
10. //  
11.  
12. #import <UIKit/UIKit.h>  
13.  
14. @class FlipsideViewController;  
15.  
16. @protocol FlipsideViewControllerDelegate  
17. - (void)flipsideViewControllerDidFinish:(FlipsideViewController *)controller;  
18. @end  
19.  
20. @interface FlipsideViewController : UIViewController  
21.  
22. @property (weak, nonatomic) id <FlipsideViewControllerDelegate> delegate;  
23.  
24. - (IBAction)done:(id)sender;  
25.  
26. @end
```

```
1. //
2. //  FlipsideViewController.m
3. //  Utility
4. //
5. //  David J. Malan
6. //  Harvard University
7. //  malan@harvard.edu
8. //
9. //  Demonstrates a Utility Application.
10. //
11.
12. #import "FlipsideViewController.h"
13.
14. @implementation FlipsideViewController
15.
16. - (IBAction)done:(id)sender
17. {
18.     [self.delegate flipsideViewControllerDidFinish:self];
19. }
20.
21. @end
```

```
1. //
2. //  main.m
3. //  Utility
4. //
5. //  David J. Malan
6. //  Harvard University
7. //  malan@harvard.edu
8. //
9. //  Demonstrates a Utility Application.
10. //
11.
12. #import <UIKit/UIKit.h>
13.
14. #import "AppDelegate.h"
15.
16. int main(int argc, char *argv[])
17. {
18.     @autoreleasepool {
19.         return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate class]));
20.     }
21. }
```

```
1. //  
2. // MainViewController.h  
3. // Utility  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Utility Application.  
10. //  
11.  
12. #import "FlipsideViewController.h"  
13.  
14. @interface MainViewController : UIViewController <FlipsideViewControllerDelegate>  
15.  
16. - (IBAction)showInfo:(id)sender;  
17.  
18. @end
```

```
1. //  
2. // MainViewController.m  
3. // Utility  
4. //  
5. // David J. Malan  
6. // Harvard University  
7. // malan@harvard.edu  
8. //  
9. // Demonstrates a Utility Application.  
10. //  
11.  
12. #import "MainViewController.h"  
13.  
14. @implementation MainViewController  
15.  
16. - (void)flipsideViewControllerDidFinish:(FlipsideViewController *)controller  
17. {  
18.     [self dismissViewControllerAnimated:YES completion:nil];  
19. }  
20.  
21. - (IBAction)showInfo:(id)sender  
22. {  
23.     FlipsideViewController *controller = [[FlipsideViewController alloc] initWithNibName:@"FlipsideViewController" bundle:nil];  
24.     controller.delegate = self;  
25.     controller.modalTransitionStyle = UIModalTransitionStyleFlipHorizontal;  
26.     [self presentViewController:controller animated:YES completion:nil];  
27. }  
28.  
29. @end
```